


LARP



Beam-beam simulations

A.Valishev (FNAL)
with input from Y.Luo, S.White (BNL),
J.Qiang (LBNL), F.Schmidt (CERN)

LARP CM16, 5/17/2011




LARP




Beam-beam task in FY11

- Experiments with Gaussian EL at Tevatron were finished in FY10, focus of experimental work shifted to Hollow E-Beam Collimation (see G.Stancari's talk). Historically Electron Lens under Beam-Beam, now a separate activity.
- Numerical simulations of beam-beam effects
 - Develop simulation codes (Y.Luo, F.Schmidt, A.Valishev)
 - Support design of RHIC EL (Y.Luo, S.White)
 - Support beam-beam experiments at Tevatron (S.White, A.Valishev)
 - Simulate beam-beam effects at LHC (J.Qiang)
 - Much activity under Crab Cavity (H.-J.Kim, J.Qiang, T.Sen)




LARP



Code Development



- Two-week session at BNL[#]
 - Code development and benchmarking
 - Picked one (common) test case, compare single-particle dynamical aperture
 - SixTrack (F.Schmidt)
 - Lifetrac (A.Valishev)
 - SimTrack (Y.Luo)
 - Work still on-going

Thanks to the hospitality of C-AD (W.Fischer)




LARP

LHC Dynamical Aperture beam-beam off, errors on, $\delta=0$





Angle in X-Y plane 45 deg



LARP

LHC Dynamical Aperture beam-beam off, errors on, $\delta=0$







LHC Dynamical Aperture


beam-beam off, errors on, $\delta=0.00027$



LARP





Angle in X-Y plane 45 deg



LARP


LHC Dynamical Aperture beam-beam off, errors on, $\delta=0.00027$






LARP

LHC Dynamical Aperture beam-beam on, errors on, $\delta=0$







LARP



Tune Footprint, head-on only






LARP

Dedicated Accelerator Physics Studies at the Tevatron





- Originally planned at the end of Run II. Now decided to plan 2-week periods with study periods interleaved with luminosity operation.
- Beam-beam period planned at the end of August
 - Diffusion Due to Beam-Beam Resonances
 - Phase Averaging
 - Coherent Beam-Beam Modes
 - Beam-Beam vs Transverse Separation
 - AC Dipole with colliding beams
- 4-5 study periods, each with 2 special 3x3 colliding stores, CERN, BNL participation expected (R.Miyamoto, F.Schmidt, S.White, ...)





LARP



Coherent Modes simulation for 3x3 store by S.White




Nominal emittances



Antiproton emittance x2


Tevatron will have instrumentation capable of observing these modes bunch-by-bunch




LARP



Alignment of Gaussian TEL e- and Antiproton Beams. Code validation






LARP


Simulations of LHC beam-beam: tune scan $\varepsilon=1.5\mu\text{m}$, 3.5 TeV (J.Qiang, S.Paret)




horizontal emittance growth (%)



vertical emittance growth (%)






LARP


Simulations of LHC beam-beam: emittance growth vs. separation (J.Qiang, S.Paret)




Emittance growth (%) at the end of 100k turns vs. horizontal separation



Emittance growth vs. vertical separation





LARP



Summary and Plans

- Good results on code benchmarking
 - Plan to finish comparisons on test cases
- Prepare and perform beam-beam studies at the Tevatron
- Continue code development
 - Validate codes using experimental results from LHC, RHIC and Tevatron
 - Implement hollow e-beam